



OKI proColor[™] pro920WT

The tabloid printer with high-quality color—including white—for graphics and textile transfers

OKI[®]



OKI proColor™ pro920WT



A digital color printer that delivers a new set of creative possibilities.

For transfer professionals in the high-quality short-run marketplace, staying competitive means having a printer that can deliver a lot—for less. A workhorse that turns out breathtaking output at a fast pace for just pennies per page, and fits comfortably into your existing color workflow.

Above all, as OKI understands it, your printer must be able to print true white.

The new OKI proColor™ pro920WT Tabloid/A3 digital color printer is the perfect solution for your on-demand printing needs, especially because white is so important to your output. The addition of white toner allows for lower-cost textile transfer media for direct imaging to fabric applications. It's also perfect for lower-cost signage and films that require white. The pro920WT combines:

- HD (High Definition) Color printing for breathtaking output
- Inclusion of white toner for printing on textile/transparent media¹
- White Transfer mode for specialty media, transfers and clear films
- Cost-efficient short-run production printing capability

The pro920WT. Think of it as your opportunity to open doors to new business.

OKI proColor™ pro920WT Highlights:

HD Color printing technology—now with the inclusion of white toner—for increased color depth, richer hues and solid white coverage¹

Fits seamlessly into your existing color printing workflow

Single Pass Color™ digital technology—straight-through print path handles up to 80 lb. cover (216 gsm), tabloid-extra sheets (12" x 18"), up to 12.9" x 47.24"

CMY/White print mode

1200 x 600 dpi print resolution for clear, sharp text and graphics

High-productivity print speed—up to 31 ppm Color and 36 ppm Monochrome²

Network connectivity standard

512 MB RAM standard and a powerful 800 MHz processor

Memory and paper capacity upgrades, optional 40 GB hard disk drive

1-Year On-Site warranty³ for lower operating costs



The OKI proColor™ Series pro920WT Color Printer

¹ Printing white on textile substrate may require a two-step process involving heat transfer paper.

² Published performance results based on laboratory testing. Individual results may vary.

³ Available in the U.S. only.



HD Color printing for breathtaking output

For the transfer industry, the pro920WT is the product that delivers consistent professional-quality output through OKI® HD Color printing technology, automatically calibrated colors, and color corrections made on the fly. The composite colors and media profiles in the pro920WT have been tuned to provide consistently vibrant images. That and up to 1200 x 600 dpi resolution enables the pro920WT to deliver fine details and stunning depth of image.

The printer also has an innovative feature allowing you to actually put down white on specialty paper and signage media, transparent film, and image transfer media.¹ You can produce T-shirt transfers, mouse pad transfers, clear cling signage media and much, much more.

Media flexibility and cost-efficiency, too

The pro920WT produces a wide range of output on a variety of media weights and sizes. Single Pass Color™ technology and a straight-through paper path deliver faster print speeds, minimal jams, and smooth handling.

Short-run production printing

The pro920WT is also a short-run production printer that easily and efficiently handles a few sheets or a few thousand, on media ranging from 20 lb. bond to 80 lb. cover (75 gsm to 216 gsm). Envelopes, letter, legal and tabloid-extra (12" x 18") sheets, 3" x 5" cards and custom sizes ranging to 12.9" x 47.24" banners. All with consistently high-quality results from first sheet to last, and from batch to batch.

The competitive advantage you're looking for

The OKI proColor Series pro920WT: high quality and reliability with low operational costs—the affordable Digital Color Printer (now with white!) for your short-run and on-demand printing needs.

An innovative feature enables the printer to apply white.



Single Pass Color™ technology and straight-through paper path handles thick paper stock and banner sheets.



Specifications

Performance	Print Speed ¹	Letter/A4 – up to 31 ppm Color (1209 ft ² /hr), 36 ppm Mono; Tabloid/A3 – up to 17 ppm Color (1160 ft ² /hr), 20 ppm Mono
	Time to 1st Page ¹	10.5 sec. Color, 9 sec. Mono
	Warm-up Time	85 sec. or less from Power On
	Processor	800 MHz PowerPC
	Monthly Duty Cycle	150,000 pages max.
Print Quality	Resolution	HD Color Printing Technology: 1200 x 600 dpi
	Color Matching	Color Matching, Color Correct and Print Mode (White) utilities from OKI
Typefaces	Printer Fonts	136 Adobe® PostScript® Type 1 fonts
Compatibility	Printer Languages	Adobe PostScript 3™
	Connectivity	Hi-Speed USB 2.0 and 10 Base-T/100 Base-TX/1000 Base-T Ethernet with internal Web Server
	Operating Systems	Windows® 7, Vista® (32-/64-bit); XP Professional (32-/64 bit), XP Home, XP Server 2003 x64 (SP1); Server 2003; 2000 Workstation/Professional/Server/2000 Advanced Server/Server 2008 (32-/64-bit) (all SP3 or later); Mac® OS X Intel 10.3 and higher
	Network Protocols	TCP/IP; NetWare®; EtherTalk
Memory	RAM	Standard: 512 MB; Max: 1,024 MB
	Hard Disk Drive (optional)	40 GB (P/N 70050502)
Media Handling	Paper Capacity	Standard 530-sheet tray and 230-sheet multi-purpose tray; Max 2,880 sheets with options
	Paper Sizes	Tabloid extra (12" x 18"), tabloid (11" x 17"), legal, letter, executive, 3" x 5" index cards, 4" x 6" and 5" x 7" photo paper, A3, A4, A5, A6, B5, C5, DL, Com 10, Monarch envelopes, and banners up to 12.9" x 47.24"
	Paper Weight	20 lb. bond–80 lb. cover (75–216 gsm)
	Paper Feeding	Auto Media Detect, Auto Paper Tray Select, Paper Empty Sensor, Paper Low Sensor
	Paper Output	500 sheets, face down; 200 sheets, face up
Environmental	Size (WxDxH)	23.6" x 24.6" x 18.5" (59.9 cm x 62.5 cm x 46.9 cm)
	Weight	167.5 lb. (76.0 kg) with consumables
	Temperature/Humidity	Operating: 50°F to 89.6°F (10°C to 32°C), 20% to 80% RH; Storage: –4°F to 113°F (–20°C to 45°C), 10% to 90% RH
	Power Consumption	Operating – Typical 780W, Peak <1500W; Standby 200W (average); Power Save 33W
	Noise Level	Operating – 54dB(A) or less; Standby: 42dB(A) or less; Power Save: 28dB(A) (background level)
Options	Accessory (Part Numbers)	530-sheet 2nd and 3rd Paper Trays (42831301); 1,590-sheet Hi-Cap Feeder (42831501); Printer Cabinet (70050901); 512 MB Memory Upgrade (70051701); 40 GB Hard Disk Drive (70050502)
Warranty	Limited Warranty	1-Year On-Site ² ; 5-Year Digital LED Printheads

Product	Description	Part Numbers		
pro920WT	Digital Color Printer	120V – 62438901	230V – 62438902	
Toner Cartridges	15,000 pages ³ (Est. Life CMY)	Cyan – 52123503	Magenta – 52123502	Yellow – 52123501
	8,000 pages ³ (Est. Life White)	White – 52123505		
Image Drums	28,000 pages ⁴ (Est. Life CMY)	Cyan – 56124903	Magenta – 56124902	Yellow – 56124901
	14,000 pages ⁴ (Est. Life White)	White – 52124905		
Transfer Belt	50,000 pages (Est. Life)	42931614		
Fuser Unit	50,000 pages (Est. Life)	120V – 42931720	230V – 42931721	
Waste Toner Box	10,000-page (Est. Life)	42869405		
Heat Transfer Paper	Count & Size TBD	TBD		

¹ Published performance results based on laboratory testing. Individual results may vary.

² Available in the U.S. only.


³ Letter/A4 at 5% coverage. Ships with standard toner cartridges.

⁴ Based on 500 pages/job.

Important Consumables Information: This product has been designed and engineered to operate only with genuine OKI Data Americas, Inc. consumables. Use of non-genuine consumables will result in the loss of certain printer enhancements.

For more information on OKI Digital Color Printers and Supplies:
1.800.OKI.DATA (800.654.3282).

Printed on an OKI proColor™ Series printer



Specifications are subject to change without notice.

Featured products may not be available in all countries. Please contact your local office for regional availability.

© 2011 OKI Data Americas, Inc. OKI Reg. T.M., OKI Electric Industry Co., Ltd. Single Pass Color T.M., OKI Data Corp. OKI proColor logo T.M., OKI Data Americas, Inc. Adobe, PostScript Reg. T.M., PostScript 3 T.M., Adobe Systems, Inc. NetWare Reg. T.M., Novell, Inc. Microsoft, Windows, Vista Reg. T.M., Microsoft Corp. Mac Reg. T.M., Apple Inc.

Printed in the USA

MS16038-0911

OKI DATA AMERICAS, INC.

USA

2000 BISHOPS GATE BLVD.

MOUNT LAUREL, NJ 08054-4620

TEL: 800.OKI.DATA (800.654.3282)

FAX: 856.222.5320

www.okidata.com/procolor

OKI®